PRODUCT DATASHEET
SENSOR CEILING MOUNTING KIT LIGHT/PRESENCE-6

SENSOR CEILING MOUNTING KIT LS-PD-6 | Adapter for surface mounting installations



Areas of application

– Enables surface mounted installations of the sensor

Product benefits

– Rear or side cable entry possible
– Screws and dowels for installation included in the product delivery
– Perfect housing color match with the sensor

Product features


– Compatible with SENSOR DALI-2 LS-PD-6 IR
– Kit designed for indoor applications

503 Service Temporarily Unavailable

nginx

TECHNICAL DATA

Dimensions & Weight



Height	43 mm
Diameter	85 mm
Product weight	55.00 g

Colors & materials

Product color	White
Body material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	0…+45 °C

Additional product data

Product remark	Available from March 2026

Capabilities

Type of installation	Surface mounting

Certificates & Standards

Type of protection	IP20

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	SENSOR DALI-2 LS-PD-6 IR CI
PDF	Legal information	Legal Insert DALI COMPONENTS

	Tender texts	Document name
TEXT	Tender documents	SENSOR CEILING MOUNTING KIT LSPD6 CEILING MOUNTING KIT LIGHT PRESENCE 6-en

LOGISTICAL DATA

503 Service Temporarily Unavailable

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854748714	Folding box 1	45 mm x 86 mm x 86 mm	72.00 g	0.33 dm^3
4099854748721	Shipping box 36	290 mm x 186 mm x 280 mm	2929.00 g	15.10 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For current information see www.ledvance.com/light-management-systems

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

503 Service Temporarily Unavailable