
PRODUCT DATASHEET
TR SP REFLECTOR V 20W 36DEG

TRACKLIGHT SPOT REFLECTOR | Exchangeable reflector



Areas of application

– Suitable for TRACKLIGHT SPOT XR

Product benefits

– Clear cover protects the reflector against dust and contact
– High optical efficacy
– Reflector easily replaceable thanks to bayonet catch and rubber suction pad

Product features

– Accessory reflectors available in different beam angles (15°, 36°, 50°)

© 2026, LEDVANCE GmbH. All rights reserved.


TECHNICAL DATA

Photometrical data

Beam angle	36 °

Dimensions & Weight

Diameter	63 mm
Height	41 mm
Product weight	22.00 g



TR SP REFLECTOR V 20W

Materials & Colors

Product color	Silver
RAL Color (most similar)	RAL 9003
Body material	Polycarbonate (PC)

Application & Mounting

Replaceable light source	No

Certificates & Standards

Ball shot safe	No

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	G11247140 TRACKLIGHT SPOT XR

	Tender texts	Document name
TXT	Tender documents	TRACKLIGHT SPOT REFLECTOR 20W 36DEG-en

© 2026, LEDVANCE GmbH. All rights reserved.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854616808	Folding box 1	82 mm x 82 mm x 54 mm	43.00 g	0.36 dm^3
4099854616815	Shipping box 4	187 mm x 102 mm x 138 mm	271.00 g	2.63 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

– For Guarantee see www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.