PRODUCT DATASHEET
Bulkhead Essential Round E27 Black

Bulkhead Essential | Wall and ceiling luminaire with integrated protective cage



Areas of application

- Basement
- Garages
- Corridors, stairways, entrance areas

Product benefits

- Sustainable due to E27 base
- High-quality glass housing and integrated protective cage for increased safety
- Thanks to protection class IP44, the luminaire is splash-proof

Product features

- Impact resistance: IK06
- Type of protection: IP44
- Easy and quick installation

© 2026, LEDVANCE GmbH. All rights reserved.


TECHNICAL DATA

Electrical data

Nominal voltage	220…240 V
Mains frequency	50…60 Hz
Protection class	II
Operating mode	Mains voltage

Dimensions & Weight

Length	190.00 mm
Width	190.00 mm
Height	98.00 mm
Product weight	620.00 g



BULKHEAD ESSENTIAL ROUND

Materials & Colors

Product color	Black
Housing color	Black
Body material	Polyprophylene (PP)
Cover material	Glass
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

Application & Mounting

Ambient temperature range	-20…+40 °C
Temperature range at storage	-40…+80 °C
Type of connection	Terminal, 2-Pole (L, N)
Type of protection	IP54/IP20
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Surface
Mounting location	Wall

503 Service Temporarily Unavailable

With light source	No
Replaceable light source	No
Holder designation	E27

Emergency lighting

Type of emergency operation test	None

Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

Additional product data

Number of illuminants	1

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

	Documents and certificates	Document name
PDF	User instruction / safety instructions	Bulkhead Essential E27
PDF	Declarations of conformity	CE declaration Bulkheads Essential E27

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854671623	Bundle 1	190 mm x 190 mm x 99 mm	626.00 g	3.57 dm^3
4099854671630	Shipping box 10	547 mm x 417 mm x 224 mm	7302.00 g	51.09 dm^3

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, LEDVANCE GmbH. All rights reserved.